

L Number	Hits	Search Text	DB	Time stamp
-	8	(@ad<20000531 or @rlad<20000531 or @prad<20000531) and (test\$3 with ROM with (secret condidential))	USPAT; US-PGPUB; EPO	2004/10/19 14:09
-	0	(@ad<20000531 or @rlad<20000531 or @prad<20000531) and (test\$3 with ROM with (secret condidential)) and redund\$5	USPAT; US-PGPUB; EPO	2004/10/18 11:37
-	0	(@ad<20000531 or @rlad<20000531 or @prad<20000531) and (BIOS near2 (secret condidential))	USPAT; US-PGPUB; EPO	2004/10/18 11:38
-	2	(@ad<20000531 or @rlad<20000531 or @prad<20000531) and (BIOS near3 (secret condidential))	USPAT; US-PGPUB; EPO	2004/10/18 12:02
-	91	(@ad<20000531 or @rlad<20000531 or @prad<20000531) and (BIOS near3 check)	USPAT; US-PGPUB; EPO	2004/10/18 12:03
-	55	(@ad<20000531 or @rlad<20000531 or @prad<20000531) and (BIOS near3 check) and (713/\$ 380/\$).ccls.	USPAT; US-PGPUB; EPO	2004/10/18 12:04
-	1	(@ad<20000531 or @rlad<20000531 or @prad<20000531) and (BIOS near3 check with corrupt\$3) and (713/\$ 380/\$).ccls.	USPAT; US-PGPUB; EPO	2004/10/18 15:01
-	8	(@ad<20000531 or @rlad<20000531 or @prad<20000531) and (BIOS near5 (redandency or CRC))	USPAT; US-PGPUB; EPO	2004/10/18 18:42
-	51	(@ad<20000531 or @rlad<20000531 or @prad<20000531) and (BIOS near5 microcode)	USPAT; US-PGPUB; EPO	2004/10/18 18:42
-	39	(@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EEPROM BIOS) near3 CRC) same (password\$1 condidential code microcode)	USPAT; US-PGPUB; EPO	2004/10/19 15:56
-	106	(@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EEPROM BIOS) near3 CRC)	USPAT; US-PGPUB; EPO	2004/10/18 18:33
-	106	(@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EEPROM BIOS)near3 CRC)	USPAT; US-PGPUB; EPO	2004/10/18 18:25
-	1	6490685.pn.	USPAT; US-PGPUB; EPO	2004/10/18 18:19
-	1	5771287.pn. and (PAC AC AAC SK)	USPAT; US-PGPUB; EPO	2004/10/18 17:49
-	10	("4813024" "4866769" "5136648" "5247577" "5416840" "5457746" "5469557" "5490216" "5530749" "5530753").pn.	USPAT; US-PGPUB; EPO	2004/10/18 17:44
-	1	5771287.pn. and (PAC AC AAC SK OM OMC)	USPAT; US-PGPUB; EPO	2004/10/18 17:52
-	6	"5771287"	USPAT; US-PGPUB; EPO	2004/10/18 17:04

-	13	<p>(@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((confidential secure secret private restricted classified) near3 (EPROM EPROM ROM) same (check verif\$3 test confirm MAC signature CRC "cyclic redundancy check")) and (713/\$ or 380/\$).ccls. not ((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EPROM BIOS) with (confidential secure secret private restricted classified) with (check verif\$3 test confirm MAC signature CRC "cyclic redundancy check")) and (713/\$ or 380/\$).ccls.) ((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((BIOS ROM EPROM EPROM) with (CRC "cyclic redundancy check")) and (713/\$ or 380/\$).ccls. not ((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EPROM) with (CRC "cyclic redundancy check")) and (713/\$ or 380/\$).ccls.) ((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EPROM BIOS) with (confidential secure secret private restricted classified) with (MAC signature CRC "cyclic redundancy check")) and (713/\$ or 380/\$).ccls.) ((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EPROM BIOS) with (confidential secure secret private restricted classified) with (integrity)) and (713/\$ or 380/\$).ccls.) ((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EPROM) with (CRC "cyclic redundancy check")) and (713/\$ or 380/\$).ccls.) ((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((hash) with (confidential secure secret private restricted classified) with ROM) and (713/\$ or 380/\$).ccls.) ((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((hash) with (confidential secure secret private restricted classified) with ROM) and (713/\$ or 380/\$).ccls. not (((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EPROM BIOS) with (confidential secure secret private restricted classified) with (check verif\$3 test confirm MAC signature CRC "cyclic redundancy check")) and (713/\$ or 380/\$).ccls.) ((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((BIOS ROM EPROM EPROM) with (CRC "cyclic redundancy check")) and (713/\$ or 380/\$).ccls. not ((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EPROM) with (CRC "cyclic redundancy check")) and (713/\$ or 380/\$).ccls.) ((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EPROM BIOS) with (confidential secure secret private restricted classified) with (MAC signature CRC "cyclic redundancy check")) and (713/\$ or 380/\$).ccls.) ((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EPROM BIOS) with (confidential secure secret private restricted classified) with (integrity)) and (713/\$ or 380/\$).ccls.) ((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EPROM) with (CRC "cyclic redundancy check")) and (713/\$ or 380/\$).ccls.)</p>	<p>USPAT; US-PGPUB; EPO</p>	2004/10/18 17:01
Search History	10/20/04 12:27:29 PM	<p>(@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((confidential secure secret private restricted classified) near3 (EPROM EPROM ROM) same (check verif\$3 test confirm MAC signature CRC "cyclic redundancy check")) and (713/\$ or 380/\$).ccls. not ((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EPROM BIOS) with (confidential secure secret private restricted classified) with (check verif\$3 test confirm MAC signature CRC "cyclic redundancy check")) and (713/\$ or 380/\$).ccls.) ((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((BIOS ROM EPROM EPROM) with (CRC "cyclic redundancy check")) and (713/\$ or 380/\$).ccls. not ((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EPROM) with (CRC "cyclic redundancy check")) and (713/\$ or 380/\$).ccls.) ((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EPROM BIOS) with (confidential secure secret private restricted classified) with (MAC signature CRC "cyclic redundancy check")) and (713/\$ or 380/\$).ccls.) ((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EPROM BIOS) with (confidential secure secret private restricted classified) with (integrity)) and (713/\$ or 380/\$).ccls.) ((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EPROM) with (CRC "cyclic redundancy check")) and (713/\$ or 380/\$).ccls.)</p>		

-	157	<p>(@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((confidential secure secret private restricted classified) near3 (EPROM EPROM ROM)) and (713/\$ or 380/\$).ccls. not ((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EPROM BIOS) with (confidential secure secret private restricted classified) with (check verif\$3 test confirm MAC signature CRC "cyclic redundancy check")) and (713/\$ or 380/\$).ccls.) ((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((BIOS ROM EPROM EPROM) with (CRC "cyclic redundancy check")) and (713/\$ or 380/\$).ccls. not ((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EPROM) with (CRC "cyclic redundancy check")) and (713/\$ or 380/\$).ccls.)) ((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EPROM BIOS) with (confidential secure secret private restricted classified) with (MAC signature CRC "cyclic redundancy check")) and (713/\$ or 380/\$).ccls.) ((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EPROM BIOS) with (confidential secure secret private restricted classified) with (integrity)) and (713/\$ or 380/\$).ccls.) ((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EPROM) with (CRC "cyclic redundancy check")) and (713/\$ or 380/\$).ccls.) ((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((hash) with (confidential secure secret private restricted classified) with ROM) and (713/\$ or 380/\$).ccls.) ((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((hash) with (confidential secure secret private restricted classified) with ROM) and (713/\$ or 380/\$).ccls. not (((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EPROM BIOS) with (confidential secure secret private restricted classified) with (check verif\$3 test confirm MAC signature CRC "cyclic redundancy check")) and (713/\$ or 380/\$).ccls.) ((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((BIOS ROM EPROM EPROM) with (CRC "cyclic redundancy check")) and (713/\$ or 380/\$).ccls. not ((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EPROM) with (CRC "cyclic redundancy check")) and (713/\$ or 380/\$).ccls.)) ((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EPROM BIOS) with (confidential secure secret private restricted classified) with (MAC signature CRC "cyclic redundancy check")) and (713/\$ or 380/\$).ccls.) ((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EPROM BIOS) with (confidential secure secret private restricted classified) with (integrity)) and (713/\$ or 380/\$).ccls.) ((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EPROM) with (CRC "cyclic redundancy check")) and (713/\$ or 380/\$).ccls.))</p>	<p>USPAT; US-PGPUB; EPO</p>	2004/10/18 16:21
---	-----	---	-------------------------------------	------------------

-	377	<p>(@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((confidential secure secret private restricted classified) with ROM) and (713/\$ or 380/\$).ccls. not (((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EEPROM BIOS) with (confidential secure secret private restricted classified) with (check verif\$3 test confirm MAC signature CRC "cyclic redundancy check"))) and (713/\$ or 380/\$).ccls.) ((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((BIOS ROM EPROM EEPROM) with (CRC "cyclic redundancy check"))) and (713/\$ or 380/\$).ccls. not ((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EEPROM) with (CRC "cyclic redundancy check"))) and (713/\$ or 380/\$).ccls.) ((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EEPROM BIOS) with (confidential secure secret private restricted classified) with (MAC signature CRC "cyclic redundancy check"))) and (713/\$ or 380/\$).ccls.) ((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EEPROM BIOS) with (confidential secure secret private restricted classified) with (integrity)) and (713/\$ or 380/\$).ccls.) ((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EEPROM) with (CRC "cyclic redundancy check"))) and (713/\$ or 380/\$).ccls.) ((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((hash) with (confidential secure secret private restricted classified) with ROM) and (713/\$ or 380/\$).ccls.) ((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((hash) with (confidential secure secret private restricted classified) with ROM) and (713/\$ or 380/\$).ccls. not (((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EEPROM BIOS) with (confidential secure secret private restricted classified) with (check verif\$3 test confirm MAC signature CRC "cyclic redundancy check"))) and (713/\$ or 380/\$).ccls.) ((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((BIOS ROM EPROM EEPROM) with (CRC "cyclic redundancy check"))) and (713/\$ or 380/\$).ccls. not ((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EEPROM) with (CRC "cyclic redundancy check"))) and (713/\$ or 380/\$).ccls.) ((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EEPROM BIOS) with (confidential secure secret private restricted classified) with (MAC signature CRC "cyclic redundancy check"))) and (713/\$ or 380/\$).ccls.) ((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EEPROM BIOS) with (confidential secure secret private restricted classified) with (integrity)) and (713/\$ or 380/\$).ccls.) ((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EEPROM) with (CRC "cyclic redundancy check"))) and (713/\$ or 380/\$).ccls.)))))</p>	<p>USPAT; US-PGPUB; EPO</p>	2004/10/18 16:21
---	-----	--	-------------------------------------	------------------

-	0	<p>(@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((message.adjl digest) with (confidential secure secret private restricted classified) with ROM) and (713/\$ or 380/\$).ccls. not (((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EEPROM BIOS) with (confidential secure secret private restricted classified) with (check verif\$3 test confirm MAC signature CRC "cyclic redundancy check")) and (713/\$ or 380/\$).ccls.) ((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((BIOS ROM EPROM EEPROM) with (CRC "cyclic redundancy check")) and (713/\$ or 380/\$).ccls. not (((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EEPROM) with (CRC "cyclic redundancy check")) and (713/\$ or 380/\$).ccls.) ((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EEPROM BIOS) with (confidential secure secret private restricted classified) with (MAC signature CRC "cyclic redundancy check")) and (713/\$ or 380/\$).ccls.) ((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EEPROM BIOS) with (confidential secure secret private restricted classified) with (integrity)) and (713/\$ or 380/\$).ccls.) ((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EEPROM) with (CRC "cyclic redundancy check")) and (713/\$ or 380/\$).ccls.) ((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((hash) with (confidential secure secret private restricted classified) with ROM) and (713/\$ or 380/\$).ccls.) ((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((hash) with (confidential secure secret private restricted classified) with ROM) and (713/\$ or 380/\$).ccls. not (((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EEPROM BIOS) with (confidential secure secret private restricted classified) with (check verif\$3 test confirm MAC signature CRC "cyclic redundancy check")) and (713/\$ or 380/\$).ccls.) ((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((BIOS ROM EPROM EEPROM) with (CRC "cyclic redundancy check")) and (713/\$ or 380/\$).ccls. not (((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EEPROM) with (CRC "cyclic redundancy check")) and (713/\$ or 380/\$).ccls.) ((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EEPROM BIOS) with (confidential secure secret private restricted classified) with (MAC signature CRC "cyclic redundancy check")) and (713/\$ or 380/\$).ccls.) ((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EEPROM BIOS) with (confidential secure secret private restricted classified) with (integrity)) and (713/\$ or 380/\$).ccls.) ((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EEPROM) with (CRC "cyclic redundancy check")) and (713/\$ or 380/\$).ccls.))))</p>	<p>USPAT; US-PGPUB; EPO</p>	2004/10/18 16:20
---	---	--	-------------------------------------	------------------

-	20	(@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((hash) with (confidential secure secret private restricted classified) with ROM) and (713/\$ or 380/\$).ccls. not ((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EEPROM BIOS) with (confidential secure secret private restricted classified) with (check verif\$3 test confirm MAC signature CRC "cyclic redundancy check")) and (713/\$ or 380/\$).ccls.) ((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((BIOS ROM EPROM EEPROM) with (CRC "cyclic redundancy check")) and (713/\$ or 380/\$).ccls. not ((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EEPROM) with (CRC "cyclic redundancy check")) and (713/\$ or 380/\$).ccls.)) ((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EEPROM BIOS) with (confidential secure secret private restricted classified) with (MAC signature CRC "cyclic redundancy check")) and (713/\$ or 380/\$).ccls.) ((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EEPROM BIOS) with (confidential secure secret private restricted classified) with (integrity)) and (713/\$ or 380/\$).ccls.) ((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EEPROM) with (CRC "cyclic redundancy check")) and (713/\$ or 380/\$).ccls.))	USPAT; US-PGPUB; EPO	2004/10/18 16:19
-	0	(@ad<20000531 or @rlad<20000531 or @prad<20000531) and (("MD5") with (confidential secure secret private restricted classified) with ROM) and (713/\$ or 380/\$).ccls.	USPAT; US-PGPUB; EPO	2004/10/18 16:09
-	0	(@ad<20000531 or @rlad<20000531 or @prad<20000531) and (("Modification detection code") with (confidential secure secret private restricted classified) with ROM) and (713/\$ or 380/\$).ccls.	USPAT; US-PGPUB; EPO	2004/10/18 16:09
-	4	(@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EEPROM BIOS) with (confidential secure secret private restricted classified) with (integrity)) and (713/\$ or 380/\$).ccls.	USPAT; US-PGPUB; EPO	2004/10/18 16:08
-	47	(@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EEPROM BIOS) with (confidential secure secret private restricted classified) with (MAC signature CRC "cyclic redundancy check")) and (713/\$ or 380/\$).ccls.	USPAT; US-PGPUB; EPO	2004/10/18 18:25
-	75	(@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EEPROM BIOS) with (confidential secure secret private restricted classified) with (check verif\$3 test confirm MAC signature CRC "cyclic redundancy check")) and (713/\$ or 380/\$).ccls.	USPAT; US-PGPUB; EPO	2004/10/18 16:21
-	3	(@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((BIOS ROM EPROM EEPROM) with (CRC "cyclic redundancy check")) and (713/\$ or 380/\$).ccls. not ((@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EEPROM) with (CRC "cyclic redundancy check")) and (713/\$ or 380/\$).ccls.)	USPAT; US-PGPUB; EPO	2004/10/19 13:21

-	34	(@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EEPROM) with (CRC "cyclic redundancy check")) and, (713/\$ or 380/\$).ccls.	USPAT; US-PGPUB; EPO	2004/10/18 15:39
-	4	(@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EEPROM) with CRC) and (713/193,194,186).ccls.	USPAT; US-PGPUB; EPO	2004/10/18 15:15
-	2	(@ad<20000531 or @rlad<20000531 or @prad<20000531) and (ROM with CRC) and (713/193,194,186).ccls.	USPAT; US-PGPUB; EPO	2004/10/18 15:03
-	1	6185678.pn. and (ROM BIOS)	USPAT; US-PGPUB; EPO	2004/10/19 12:14
-	8	(@ad<20000531 or @rlad<20000531 or @prad<20000531) and (BIOS near4 CRC)	USPAT; US-PGPUB; EPO	2004/10/19 14:12
-	4	(@ad<20000531 or @rlad<20000531 or @prad<20000531) and (BIOS with integrity with check)	USPAT; US-PGPUB; EPO	2004/10/19 14:12
-	53	(@ad<20000531 or @rlad<20000531 or @prad<20000531) and (BIOS with integrity)	USPAT; US-PGPUB; EPO	2004/10/19 14:10
-	1	5771287.pn. and "serial number"	USPAT; US-PGPUB; EPO	2004/10/19 13:57
-	32	(@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((hash) with (confidential secure secret private restricted classified) with ROM) and (713/\$ or 380/\$).ccls.	USPAT; US-PGPUB; EPO	2004/10/19 13:57
-	4	(@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EEPROM) with (CRC "cyclic redundancy check")) and (713/193,194,186).ccls.	USPAT; US-PGPUB; EPO	2004/10/19 13:20
-	1	("4908861").pn.	USPAT; US-PGPUB; EPO	2004/10/19 13:07
-	0	("4908861").pn. and "check code"	USPAT; US-PGPUB; EPO	2004/10/19 13:07
-	0	(4,908,861).pn. and "check code"	USPAT; US-PGPUB; EPO	2004/10/19 13:07
-	1	("5379342").pn. and "check code"	USPAT; US-PGPUB; EPO	2004/10/19 13:07
-	2	("5379342" "5421006").pn.	USPAT; US-PGPUB; EPO	2004/10/19 13:05
-	1	6185678.pn. and (ROM BIOS repository signature)	USPAT; US-PGPUB; EPO	2004/10/19 12:25
-	96	(@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EEPROM BIOS)) and 714/758.ccls.	USPAT; US-PGPUB; EPO	2004/10/19 15:58
-	11	(@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EEPROM BIOS)) and 714/758.ccls. and (BIOS or secure or confidential)	USPAT; US-PGPUB; EPO	2004/10/19 16:05
-	197	(@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EEPROM BIOS)) and 714/30.ccls.	USPAT; US-PGPUB; EPO	2004/10/19 16:06
-	197	(@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EEPROM BIOS)) and 714/30.ccls.	USPAT; US-PGPUB; EPO	2004/10/19 16:12
-	105	(@ad<20000531 or @rlad<20000531 or @prad<20000531) and (BIOS with corrupt\$3)	USPAT; US-PGPUB; EPO	2004/10/19 16:08
-	1	(@ad<20000531 or @rlad<20000531 or @prad<20000531) and (BIOS with corrupt\$3 with check)	USPAT; US-PGPUB; EPO	2004/10/19 16:36

-	0	(@ad<20000531 or @rlad<20000531 or @prad<20000531) and (BIOS with corrupt\$3 same CRC)	USPAT; US-PGPUB; EPO	2004/10/19 16:09
-	5	(@ad<20000531 or @rlad<20000531 or @prad<20000531) and (BIOS with corrupt\$3 same signature)	USPAT; US-PGPUB; EPO	2004/10/19 16:09
-	142	(@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EEPROM BIOS) near5 CRC)	USPAT; US-PGPUB; EPO	2004/10/19 16:12
-	86	(@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EEPROM BIOS) near5 CRC same (verify check))	USPAT; US-PGPUB; EPO	2004/10/19 19:44
-	86	(@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EEPROM BIOS) near5 CRC same (verify check validat\$3))	USPAT; US-PGPUB; EPO	2004/10/19 16:43
-	82	(@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EEPROM) near5 CRC same (verify check validat\$3))	USPAT; US-PGPUB; EPO	2004/10/19 16:22
-	49	(@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EEPROM) near5 CRC near3 (compare verify check validat\$3))	USPAT; US-PGPUB; EPO	2004/10/19 16:22
-	1	5771287.pn.	USPAT; US-PGPUB; EPO	2004/10/19 16:37
-	63325	(@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EEPROM BIOS) near3 test (CRC signature))	USPAT; US-PGPUB; EPO	2004/10/19 16:43
-	777	(@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EEPROM BIOS) near3 test (CRC signature)) and 711/\$.ccls.	USPAT; US-PGPUB; EPO	2004/10/19 16:46
-	18	(@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EEPROM BIOS) near3 test (CRC signature)) and (711/101 711/102).ccls.	USPAT; US-PGPUB; EPO	2004/10/19 16:47
-	0	(@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EEPROM BIOS) near3 test with(CRC signature)) and (711/101 711/102).ccls.	USPAT; US-PGPUB; EPO	2004/10/19 16:47
-	0	(@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EEPROM BIOS) near3 test same(CRC signature)) and (711/101 711/102).ccls.	USPAT; US-PGPUB; EPO	2004/10/19 16:47
-	56	(@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EEPROM BIOS) near3 test same(CRC signature))	USPAT; US-PGPUB; EPO	2004/10/19 16:48
-	30	(@ad<20000531 or @rlad<20000531 or @prad<20000531) and ((ROM EPROM EEPROM BIOS) near3 test same(CRC signature)) and 714/\$.ccls.	USPAT; US-PGPUB; EPO	2004/10/19 16:51
-	1	4471426.pn.	USPAT; US-PGPUB; EPO	2004/10/19 17:27
-	1	6185678.pn.	USPAT; US-PGPUB; EPO	2004/10/19 17:27
-	247	(@ad<20000531 or @rlad<20000531 or @prad<20000531) and (digital adj signature near3 append\$3)	USPAT; US-PGPUB; EPO	2004/10/19 19:45